



INFLUENZA MASK WEARING COMPULSORY, HEALTH BOARD

City Schools Closed Following Outbreak of Epidemic.
Dr. James B. Bullitt Placed in Charge of
Fight Against the Disease.

In accordance with the ordinance passed by the city council on October 23, which is in full force and effect at present, and in compliance with a resolution passed by the board of health at a meeting this evening that necessity now exists for wearing influenza masks, the order is hereby issued that all persons in the city of San Jose appearing on public streets, in any public place, or any assemblage of persons, or in any place where two or more persons are congregated, shall wear influenza masks of not less than four ply gauze.

Cases have been diagnosed in physicians of the city as influenza. Ten cases are reported from the normal school this cases are reported from the Y. W. C. A. and 25 cases are reported from Notre Dame. One death occurred during the day that of Louis Bingley. That the epidemic has reached widespread throughout the city was indicated last night by Dr. Bullitt who said that there are cases in about 150 families. Dr. M. L. Bates, president of the state normal has opened an emergency hospital for patients from his institution in a house on Twelfth street where the young women are being given the best of care.



REFUSES TO DON INFLUENZA MASK; SHOT BY OFFICER

SAN FRANCISCO, Oct. 28.—While scores of passersby scurried for cover, H. D. Miller, a deputy health officer, shot and severely wounded James Wisser, a horseshoer, in front of a downtown drug store early today, following Wisser's refusal to don an influenza mask.

According to the police, Miller shot in the air when Wisser first refused his request. Wisser closed in on him and in the succeeding affray was shot in the arm and the leg.

Wisser was taken to the central emergency hospital, where he was placed under arrest for failure to comply with Miller's order.

PRINCIPLES OF PUBLIC HEALTH

A Simple Text Book on Hygiene, Presenting the Principles Fundamental to the Conservation of Individual and Community Health

by
Thomas Dyer Tuttle



**DR. THOMAS DYER TUTTLE
(1869-1942)**

TREASURY DEPARTMENT
UNITED STATES PUBLIC HEALTH SERVICE

INFLUENZA

Spread by Droplets sprayed from Nose and Throat

Cover each COUGH and SNEEZE with handkerchief.

Spread by contact.

AVOID CROWDS.

If possible, WALK TO WORK.


Do not spit on floor or sidewalk.

Do not use common drinking cups and common towels.

Avoid excessive fatigue.

If taken ill, go to bed and send for a doctor.



The above applies also to colds, bronchitis, pneumonia, and tuberculosis.






**DR. THOMAS
TUTTLE**





**DR. ANTHONY
FAUCI**




















**NUCLEIC ACID
VACCINES**

**CONTAIN DNA OR RNA WITH
GENES FOR THE SARS-CoV-2
SPIKE PROTEIN DELIVERED
INTO CELLS**









**8900 IN TWO-DOSE VACCINE GROUP,
2,700 IN HALF-DOSE FOLLOWED BY FULL
DOSE AND 11,500 IN PLACEBO GROUP**






**131 CASES, NOT CLEAR HOW MANY IN
PLACEBO GROUP AND NO BREAKDOWN BY
AGE OR RACE**



**90% EFFICACY IN HALF-DOSE/FULL DOSE
GROUP AND 62% IN TWO FULL-DOSE
GROUP FOR AN AVERAGE OF 70%**



**14,095 IN VACCINE GROUP, 4,699 IN
PLACEBO GROUP**







**McGill**

[**www.McGill.ca/OSS**](http://www.McGill.ca/OSS)

[**Joe.Schwarcz@McGill.ca**](mailto:Joe.Schwarcz@McGill.ca)

Office for Science and Society
Organisation pour la science et la société